

Programming assignments - 01

Topic 2: Fundamentals of programming

BIM A+3: Parametric Modelling in BIM

Matevž Dolenc

Univerza *v Ljubljani*









Universidade do Minho





© 2019 by authors This work is licensed under a <u>Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License</u>.


BIM A+3: Parametric Modelling in BIM | Topic 2: Fundamentals of programming | Programming assignments - 01






http://matevzdolenc.com/lectures/bimaplus/






http://matevzdolenc.com/lectures/bimaplus/







https://talkpython.fm/episodes/show/162/python-in-building-and-architecture



		=	a stackoverflow.com	Ċ		۵.	
stack overflow	Products Customers I	Use cases Q [python]				Log in Sign up	
Home	Questions tagged [python]				Blog		
Stack Overflow	and to understand), and to enfor in use, Python 2.7 and 3.x. For v	Python is a multi-paradigm, dynamically typed, multipurpose programming language, designed to be quick (to learn, to use, and to understand), and to enforce a clean and uniform syntax. Two similar but incompatible versions of Python are commonly in use, Python 2.7 and 3.x. For version-specific Python questions, add the [python-2.7] or [python-3.x] tag. When using a Python variant or library (e.g. Jython, PyPy, Pandas, Numpy), please include it in the tags.				Listening	
Users	Python variant or library (e.g. Jy	Podcast: TFW You Accidentally Delete Your Database					
Jobs	1,294,733 questions	294,733 questions Newest Active Bountied 🔀 Unanswered More 🔻			Featured on Meta		
TEAMS What's this? -	Django NoReverseMatch at /provider/ 'provider ' is not a registered namespace votes i'm learning Django and this my first project i have the above error for days trying to solve it . if i put blank html it will work but the below template makes error the HTML file is below {%				Preuback post. Moderator review and reinstatement processes New Post Notices (Closed/On Hold/etc.) rolling out on Stack Overflow		
	O answers python django 4 views		asked 2 m	ins ago ab Diab	 ➢ Upvotes on questions the same as upvotes o 	will now be worth	
	votes If I compare two arra	votes If I compare two array which contain NaNs like so: a = np.array([[1,2,3], [np.nan, 2, 3]]) b = np.array([[1,2,3], [np.nan, 2, 3]]) np.where(a==b, a, -1) I get array([[1, 2, 3.], [-1., 0				a Smoke-Free Future	
		nelp in advance. I am still very	xcel sheets and merged them to new with python. I have the following ex-	•	fmcg Public	10k+ people	

https://stackoverflow.com/questions/tagged/python